

#184

Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

Product Division:

Janitorial

SHINELINE SEAL Product Number: 4004

1110 Spartan Drive

Spartan Chemical Company, Inc.

Product/Technical 1-(800)-537-8990 Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spil CHEMTREC 1-(800) 424-9300 (24 hours)

Maumee OH 43537

NFPA Ratings:	HMIS Ratings:
Health: 1- Slight	Health: *1 - Slight; Chronic Hazard
Fire: 0 - Minimal	Fire: O - Minimal
Reactivity: 0 - Minimal	Reactivity: () - Minimal

SECTION II: HAZARDO US INGREDIENTS

(Listed when present at 1% or greater carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

ising on the 13CA inventory			Table Z- 1 - A		A PRIVA	
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m ³	STEL mg/m ³	CELING mg/m ³	NTP, IARC or OSHA Carcinogen
Acrylic polymer	10-15		Not Established	Not Established	Not Established	No
*Diethy lene glycol monoethy l ether	5-10	111-90-0	140 (2002)	Not Established		
Tributoxyethyl phosphate	I-5	78-51-3	Not Established			No
Polyethy lene emulsion	J-5	67892-91-5	Not Established	Not Established	Not Established	No
*Ammonium hydroxide	I-5	1336-21-6	1 22 (SITTINGING)	Not Established		No
Propylene glycol	1-5	57-55-6	Not Established	Not Established	Not Established	No
*Dibuty 1 phthalate	1-5	84-74-2	5	Not Established	Not Established	No

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

SECTION III: PHYSICAL DAT	SECTI	ON	III: PHYSIC	AL DAT
---------------------------	-------	----	-------------	--------

Boiling Point:	210 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1):		Solubility in Water:	
	8.0-8.5	Specific Gravity (H ₂ O=1):	
Evaporation Rate (but.ace.=1):	<	Percent Solid by Weight:	24-26
Physical State: Liquid			
Appearance & Octor: Milky emulsion, acrylic odor			

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 200 °F	Method Used: ASTM-D56
Flammable Lim its:		Flame Extension: N/A
Extinguishing Meclia:	Product does not support combustion. Use extinguishing media appropriate for surrounding fire.	
	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.	
Unusual Fire & Explossive Haza r ds:	Dried Product can burn. Combustion products are toxic.	

SECTION V: HEALTH THAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes
Conditions to Av oid:	May cause skin irritation: Sy Harmful if swallowed: Sympt Inhalation of vapors may cau Contains diethylene glycol motheskin. Diethylene glycol morespiratory depression, gastroir Contains tributoxyethyl phosphataxia, breathing abnormalities Contains dibutyl phthalate which animals. Avoid contact with eyes and seemed seemed seemed.	ymptoms may include pain, redness, swelling and tearing, mptoms may include redness, pain and swelling, toms may include nausea, vomiting, pain and diarrhea, are respiratory irritation, headache and nausea, noethyl ether which may be harmful if absorbed through noethyl ether may cause central nervous system and netstinal tract, liver and kidney impairment, nate which may cause nervous system effects such as and tremors with prolonged or repeated contact, ch causes adverse reproductive effects in laboratory skin. Avoid breathing product vapors or mist. Use with taste or swallow. Wash thoroughly after handling.
Conditions Aggravated by Use:	Use of this product may aggravasthma and dermatitis.	vate preexisting eye; skin and respiratory disorders such as

Emergency & First Aid Procedures:

	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get medical attention.
S ≡ kin:	Remove contaminated clothing. Flush skin thoroughly with plenty of water. Get medical attention if irritation persists. Wash contaminated clothing before reuse.
	Do not induce vomiting unless told to do so by medical personnel. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	Move person to fresh air. If irritation persists get medical attention.



SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials: None known
Hazardous Decomposition None known	Hazardous Will Not Occur
Products:	Polymerization:

SECTION VII: SPILL OR LEAK PROCEDURES

Material is Released or Spilled	Dike and contain spill with inert material (sand, earth, commercial absorbent, etc.) and transfer to containers for disposal. Rinse area with water and flush to sanitary sewer. Keep spill out of storm sewers and waterways.
Waste Disposal Method	Assure conformance with federal, state and local regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

	Not normally required when good general ventilation is provided. However, if exposure levels are exceeded (see Section II) or if respiratory irritation occurs, a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered.
31	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other impervious gloves are recommended.
Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

"SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Keep from freezing. Storing:	
Other Precautions: Keep out of reach of children.	

Manager, Regulatory Affairs Name: Title: Ronald T. Cook SHINELINE SEAL

Effective 06/27/2005 09/29/1999 Supercedes:

Date:

Update Sections I, II, IV, V, VII, VIII & IX Ref: 29 CFR 1910.1200 (OSHA) Changes:

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty. express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.



