

#126


MATERIAL SAFETY DATA SHEET**SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Hazardous Ingredients (specific)		WHMIS Classification: MINIMAL	
Product Use: FASTRACK			
Manufacturer's Name: MICRO CHEMICAL MANUFACTURING & SUPPLIES LTD.		Supplier's Name SMITH & JONES JANITORIAL SUPPLIES AND EQUIPMENT	
Street Address: 1462 E. MISSION BLVD		Street Address 1 BILOXI SQUARE	
City: POMONA	Province/ State CA	City WEST COLUMBIA	State SC
Postal Code/Zip Code 91766	Emergency Telephone: 1-800-535-5053	Postal Code 29170	Emergency Telephone 1-803-822-8500
Date MSDS Prepared: JANUARY 2010	MSDS Prepared by: MICRO CHEMICAL MANUFACTURING & SUPPLIES LTD.		Phone Number: 909-620-0949

SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients (specific)	%	CAS Number	LD ₅₀ of Ingredient (specify species and route)	LC ₅₀ of Ingredient (specify species)
PROPYLENE GLYCOL	2.6	57-55-6	20 g/kg (oral, rat)	N/AV
TRIBUTOXYETHYL PHOSPHATE PLASTICISER	1.5	78-51-3	3000 mg/kg (oral, rat)	> 20 mg/L
ALIPHATIC ALKYD ACRYLIC POLYMER	25	NAV	NAV	NAV
WATER	71	7732-18-5	NAV	NAV

SECTION 3 - HAZARDS IDENTIFICATION

Route of Entry	<input checked="" type="checkbox"/> Skin Contact	<input checked="" type="checkbox"/> Skin Absorption	<input checked="" type="checkbox"/> Eye Contact	<input checked="" type="checkbox"/> inhalation	<input checked="" type="checkbox"/> Ingestion
[Emergency Overview]					
[WHMIS Symbols]					
[Potential Health Effects]	prolonged or repeated exposure can cause skin drying.				

SECTION 4 - FIRST AID MEASURES

Skin Contact	Wash with soap and water. If irritation persists seek medical attention
Eye Contact	Flush with copious amounts of potable water. Seek medical attention immediately.
Inhalation	
Ingestion	Drink 3-4 glasses of MILK or WATER. NO NOT INDUCE vomiting. Seek Medical Attention

SECTION 5 - FIRE FIGHTING MEASURES

Flammable <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		If yes, under which conditions?	
Means of Extinction As for surrounding Fire. Normal Fire - Fighting Procedures			
Flashpoint (°C) and Method None	Upper Flammable Limit (% by volume) N/AP	Lower Flammable Limit (% by volume) N/AP	
Autoignition Temperature (°C) None	Explosion Data - Sensitivity to Impact NO	Explosion Data - Sensivity to Static Discharge NO	
Hazardous Combustion Products Oxides of Carbon			
[NFPA] NONE			

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures Large spill: dike with absorbent, collect in drum, then dispose. Rinse with water and let dry.
--

SECTION 7 - HANDLING AND STORAGE

Handling Procedures and Equipment Normal handling procedures, avoid skin and eye contact.
Storage Requirements Store in well ventilated area. Recommended temperature 15°C

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits <input checked="" type="checkbox"/> N/AV <input type="checkbox"/> ACGIH TLV <input type="checkbox"/> OSHA PEL <input type="checkbox"/> Other (<i>specify</i>)
Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation
Personal Protective Equipment <input checked="" type="checkbox"/> Gloves <input checked="" type="checkbox"/> Respirator <input type="checkbox"/> Eye <input type="checkbox"/> Footwear <input type="checkbox"/> Clothing <input type="checkbox"/> Other
If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles. Impervious

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Emulsion	Odour and Appearance Mild Odor; Milk White Solution	Odour Threshold (ppm) N/AV
Specific Gravity 1.035	Vapour Density (air = 1) < 1	Vapour Pressure (mmHg) 17 mmHg
Evaporation Rate > 1	Boiling Point (°C) >100°C	Freezing Point (°C) <0°C
pH 8.5 ± 0.5	Coefficient of Water / Oil Distribution 100% water soluble	[Solubility in Water] 100%

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If no, under which conditions?
Incompatibility with Other Substances <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If yes, which ones? Strong oxidizing agents
Reactivity, and under what conditions? None	
Hazardous Decomposition Products None	

SECTION 11 - TOXICOLOGICAL INFORMATION

Effects of Acute Exposure Inhalation, eye, skin contact may cause irritation	
Effects of Chronic Exposure Prolonged or repeated exposure may cause skin drying.	
Irritancy of Product contact with eyes / skin	
Skin Sensitization N/AV	Respiratory Sensitization
Carcinogenicity -IARC No	Carcinogenicity - ACGIH No
Reproductive Toxicity N/A	Teratogenicity N/A
Embryotoxicity	Mutagenicity N/A

SECTION 12 - ECOLOGICAL INFORMATION

Aquatic Toxicity Molibity= N/A Persistence= N/A Bioaccumulative = N/A

Aquatic Toxicity: Low potential affect on Aquatic organism and secondary waste treatment microbial respiration. When diluted with a large amount of water, this material is released directly or indirectly into the environment is not expected THOD (G Oxygen G)= -1.9 COD (G Oxygen (G) = 1.9 BOD5 (G Oxygen (ML) = 0.14

Acute Aquatic effects Data: 24 hrs LC₅₀ (Goldfish) mg/L 75,000 mg/L
96 hrs LC₅₀ (Blue Gill Sunfish) mg/L 710,000 mg/L

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal

According to local, provincial and federal government requirements

SECTION 14 - TRANSPORT INFORMATION

Special Shipping Information:

Normal procedures. Keep from freezing.

PIN

TDG: N/AP

[DOT]

[IMO]

[ICAO]

SECTION 15 - REGULATORY INFORMATION

[WHMIS Classification] Class D Div 2 Materials Causing Other Toxic Effects

[OSHA]



[SERA]

[TSCA]

This product has been classified in accordance with the hazard criteria of the Products Regulations (CPR) and the MSDS contains all of the information required by CPR

Controlled

SECTION 16 - OTHER INFORMATION

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.